Brain Research, 592 (1992) 358–360
© 1992 Elsevier Science Publishers B.V. All rights reserved 0006-8993/92/$05.00

Author Index

Aizenman, E., see Hoyt, K.R. (592) 310
Akaike, A., see Tamura, Y. (592) 317
Akil, H., see Herman, J.P. (592) 228
Allin, R., see Mintz, M. (592) 115
Allix, M., see Lekieffre, D. (592) 333
Arnold, G., see Kupsch, A. (592) 74

Balázs, R., see Romijn, H.J. (592) 17
Baldessarini, R.J., see Campbell, A. (592) 348
Bansinath, M., see Garg, U.C. (592) 208
Batsche, K., Granoff, M.I. and Wang, R.Y.
5-HT_3 receptor antagonists fail to block the suppressant effect of cocaine on the firing rate of A10 dopamine neurons in the rat (592) 273
Bing, G., Stone, E.A., Zhang, Y. and Filer, D.
Immunohistochemical studies of noradrenergic-induced expression of c-*fos* in the rat CNS (592) 57
Black, J.A., see Caffrey, J.M. (592) 283
Blanchet, G., see Denoyer, M. (592) 157
Blunt, S., see Takeuchi, Y. (592) 129
Boix, F., Huston, J.P. and Schwarting, R.K.W.
The C-terminal fragment of substance P enhances dopamine release in nucleus accumbens but not in neostriatum in freely moving rats (592) 181
Boulu, R.G., see Lekieffre, D. (592) 333
Brown, T., see McBain, C.J. (592) 255
Buijs, R.M., see Romijn, H.J. (592) 17
Burg, M., see Kupsch, A. (592) 74

Caffrey, J.M., Eng, D.L., Black, J.A., Waxman, S.G. and Kocsis, J.D.
Three types of sodium channels in adult rat dorsal root ganglion neurons (592) 283
Cairns, A., see Schneiderman, J.H. (592) 298
Calcagnetti, D.J., Stafinsky, J.L. and Crisp, T.
A single restraint stress exposure potentiates analgesia induced by intrathecally administered DAGO (592) 305
Callebert, J., see Lekieffre, D. (592) 333
Campbell, A., Baldessarini, R.J. and Yeghiayan, S.
Antagonism of limbic and extrapyramidal actions of intracerebrally injected dopamine by ergolines with partial D_2 agonist activity in the rat (592) 348
Carithers, J. and Dellmann, H.-D.
Regeneration of neural lobe-like neurovascular contact regions in explanted neural lobes placed in the hypothalamo-neurohypophysial tract in the lateral retrochiasmatic area (592) 63
Chavez, M., see D'Aniello, A. (592) 44
Collet, A., see Denoyer, M. (592) 157
Crabbe, J.C., see Kosobud, A.E. (592) 122
Cras, P., see Kawai, M. (592) 278
Crisp, T., see Calcagnetti, D.J. (592) 305
Crofton, J.T., see Ota, M. (592) 249
Cross, S.J., see Kosobud, A.E. (592) 122
Crowe, A. and Morgan, E.H.
Iron and transferrin uptake by brain and cerebrospinal fluid in the rat (592) 8
Cullinan, W.E., see Herman, J.P. (592) 228
Cusano, G., see D'Aniello, A. (592) 44

Dahlin, L.B., see Zhao, Q. (592) 106
D'Aniello, A., Vetere, A., Fisher, G.H., Cusano, G., Chavez, M. and Petrucelli, L.
Presence of D-alanine in proteins of normal and Alzheimer human brain (592) 44
Daniels, W., see Mintz, M. (592) 115
Davies, R.O., see Kubin, L. (592) 91
Dellmann, H.-D., see Carithers, J. (592) 63
Denoyer, M., Lallement, G., Collet, A., Pernot-Marino, I., Séréno, D. and Blanchet, G.
Influence of medial septal cholinoceptive cells on c-Fos-like proteins induced by soman (592) 157
Devi, L., see Garg, U.C. (592) 208
De Villiers, A., see Mintz, M. (592) 115
Dimlich, R.V.W., see Medrano, S. (592) 202
Dingledine, R., see McBain, C.J. (592) 255
DiZio, P., see Lackner, J.R. (592) 175
Douglas, R., see Mintz, M. (592) 115

Eaton, J.V., see McBain, C.J. (592) 255
Emson, P.C., see Wiese, U.H. (592) 141
Eng, D.L., see Caffrey, J.M. (592) 283
Ezell, E.L., see Jackson, G.R. (592) 239

Festavan, G., see Ota, M. (592) 249
Filer, D., see Bing, G. (592) 57
Fisher, G.H., see D'Aniello, A. (592) 44
Fisk, G., see Wyss, J.M. (592) 135

Garcia-Estrada, J., Garcia-Segura, L.M. and Torres-Aleman, I.
Expression of insulin-like growth factor I by astrocytes in response to injury (592) 343
Garcia-Segura, L.M., see Garcia-Estrada, J. (592) 343
Garg, U.C., Devi, L., Turndorf, H., Goldfrank, L.R. and Bansinath, M.
Effect of nitric-oxide on mitogenesis and proliferation of cerebellar glial cells (592) 208
Ghribi, O., see Lekieffre, D. (592) 333
Goldfrank, L.R., see Garg, U.C. (592) 208
Granoff, M.I., see Batsche, K. (592) 273
Gruenstein, E., see Lucherini, M.J. (592) 193
Gruenstein, E., see Medrano, S. (592) 202
Gu, X., see Williams, M.B. (592) 49

Hardy, O., see Mirenowicz, J. (592) 1
Hayashi, H., see Toda, T. (592) 261
Hazrati, L.-N. and Parent, A.
The striatopallidal projection displays a high degree of anatomical specificity in the primate (592) 213
Herman, J.P., Cullinan, W.E., Young, E.A., Akil, H. and Watson, S.J.
Selective forebrain fiber tract lesions implicate ventral hippocampal structures in tonic regulation of paraventricular nucleus corticotropin-releasing hormone (CRH) and arginine vasopressin (AVP) mRNA expression (592) 228
Hong, M., Milne, B., Loomis, C. and Jhamandas, K.
Stereoselective effects of central α_2-adrenergic agonist medetomidine on in vivo catechol activity in the rat rostral ventrolateral medulla (RVLM) (592) 163
Hoyt, K.R., Tang, L.-H., Aizenman, E. and Reynolds, I.J.
Nitric oxide modulates NMDA-induced increases in intracellular Ca^{2+} in cultured rat forebrain neurons (592) 310
Huston, J.P., see Boix, F. (592) 181

Ivy, G.O., see Khurgel, M. (592) 338

Jackson, G.R., Werrbach-Perez, K., Ezell, E.L., Post, J.F.M. and Perez-Polo, J.R.
Nerve growth factor effects on pyridine nucleotides after oxidant injury of rat pheochromocytoma cells (592) 239
Jaffer, A., see Mintz, M. (592) 115
Janszen, A.W.J.W., see Romijn, H.J. (592) 17
Jenner, P., see Takeuchi, Y. (592) 129
Jhamandas, K., see Hong, M. (592) 163
Jhamandas, K., see Zhu, J. (592) 326
Jope, R.S., see Williams, M.B. (592) 49

Kamei, J., Kawashima, N. and Kasuya, Y.
Paradoxical analgesia produced by naloxone in diabetic mice is attributable to supersensitivity of δ-opioid receptors (592) 101
Kanje, M., see Zhao, Q. (592) 106
Kasuya, Y., see Kamei, J. (592) 101
Kawai, M., Cras, P. and Perry, G.
Serial reconstruction of β-protein amyloid plaques: relationship to microvessels and size distribution (592) 278
Kawashima, N., see Kamei, J. (592) 101
Kellaway, L., see Mintz, M. (592) 115
Khurgel, M., Racine, R.J. and Ivy, G.O.
Kindling causes changes in the composition of the astrocytic cytoskeleton (592) 338
Kimura, H., see Kubin, L. (592) 91
Kocsis, J.D., see Caffrey, J.M. (592) 283
Kosobud, A.E., Cross, S.J. and Crabbe, J.C.
Neural sensitivity to pentylenetetrazol convulsions in inbred and selectively bred mice (592) 122

Brain Research, 592 (1992) 358–360
© 1992 Elsevier Science Publishers B.V. All rights reserved 0006-8993/92/$05.00

Author Index

Aizenman, E., see Hoyt, K.R. (592) 310
Akaike, A., see Tamura, Y. (592) 317
Akil, H., see Herman, J.P. (592) 228
Allin, R., see Mintz, M. (592) 115
Allix, M., see Lekieffre, D. (592) 333
Arnold, G., see Kupsch, A. (592) 74

Balázs, R., see Romijn, H.J. (592) 17
Baldessarini, R.J., see Campbell, A. (592) 348
Bansinath, M., see Garg, U.C. (592) 208
Batsche, K., Granoff, M.I. and Wang, R.Y.
5-HT_3 receptor antagonists fail to block the suppressant effect of cocaine on the firing rate of A10 dopamine neurons in the rat (592) 273
Bing, G., Stone, E.A., Zhang, Y. and Filer, D.
Immunohistochemical studies of noradrenergic-induced expression of c-*fos* in the rat CNS (592) 57
Black, J.A., see Caffrey, J.M. (592) 283
Blanchet, G., see Denoyer, M. (592) 157
Blunt, S., see Takeuchi, Y. (592) 129
Boix, F., Huston, J.P. and Schwarting, R.K.W.
The C-terminal fragment of substance P enhances dopamine release in nucleus accumbens but not in neostriatum in freely moving rats (592) 181
Boulu, R.G., see Lekieffre, D. (592) 333
Brown, T., see McBain, C.J. (592) 255
Buijs, R.M., see Romijn, H.J. (592) 17
Burg, M., see Kupsch, A. (592) 74

Caffrey, J.M., Eng, D.L., Black, J.A., Waxman, S.G. and Kocsis, J.D.
Three types of sodium channels in adult rat dorsal root ganglion neurons (592) 283
Cairns, A., see Schneiderman, J.H. (592) 298
Calcagnetti, D.J., Stafinsky, J.L. and Crisp, T.
A single restraint stress exposure potentiates analgesia induced by intrathecally administered DAGO (592) 305
Callebert, J., see Lekieffre, D. (592) 333
Campbell, A., Baldessarini, R.J. and Yeghiayan, S.
Antagonism of limbic and extrapyramidal actions of intracerebrally injected dopamine by ergolines with partial D_2 agonist activity in the rat (592) 348
Carithers, J. and Dellmann, H.-D.
Regeneration of neural lobe-like neurovascular contact regions in explanted neural lobes placed in the hypothalamo-neurohypophysial tract in the lateral retrochiasmatic area (592) 63
Chavez, M., see D'Aniello, A. (592) 44
Collet, A., see Denoyer, M. (592) 157
Crabbe, J.C., see Kosobud, A.E. (592) 122
Cras, P., see Kawai, M. (592) 278
Crisp, T., see Calcagnetti, D.J. (592) 305
Crofton, J.T., see Ota, M. (592) 249
Cross, S.J., see Kosobud, A.E. (592) 122
Crowe, A. and Morgan, E.H.
Iron and transferrin uptake by brain and cerebrospinal fluid in the rat (592) 8
Cullinan, W.E., see Herman, J.P. (592) 228
Cusano, G., see D'Aniello, A. (592) 44

Dahlin, L.B., see Zhao, Q. (592) 106
D'Aniello, A., Vetere, A., Fisher, G.H., Cusano, G., Chavez, M. and Petrucelli, L.
Presence of D-alanine in proteins of normal and Alzheimer human brain (592) 44
Daniels, W., see Mintz, M. (592) 115
Davies, R.O., see Kubin, L. (592) 91
Dellmann, H.-D., see Carithers, J. (592) 63
Denoyer, M., Lallement, G., Collet, A., Pernot-Marino, I., Séréno, D. and Blanchet, G.
Influence of medial septal cholinoceptive cells on c-Fos-like proteins induced by soman (592) 157
Devi, L., see Garg, U.C. (592) 208
De Villiers, A., see Mintz, M. (592) 115
Dimlich, R.V.W., see Medrano, S. (592) 202
Dingledine, R., see McBain, C.J. (592) 255
DiZio, P., see Lackner, J.R. (592) 175
Douglas, R., see Mintz, M. (592) 115

Eaton, J.V., see McBain, C.J. (592) 255
Emson, P.C., see Wiese, U.H. (592) 141
Eng, D.L., see Caffrey, J.M. (592) 283
Ezell, E.L., see Jackson, G.R. (592) 239

Festavan, G., see Ota, M. (592) 249
Filer, D., see Bing, G. (592) 57
Fisher, G.H., see D'Aniello, A. (592) 44
Fisk, G., see Wyss, J.M. (592) 135

Garcia-Estrada, J., Garcia-Segura, L.M. and Torres-Aleman, I.
Expression of insulin-like growth factor I by astrocytes in response to injury (592) 343
Garcia-Segura, L.M., see Garcia-Estrada, J. (592) 343
Garg, U.C., Devi, L., Turndorf, H., Goldfrank, L.R. and Bansinath, M.
Effect of nitric-oxide on mitogenesis and proliferation of cerebellar glial cells (592) 208
Ghribi, O., see Lekieffre, D. (592) 333
Goldfrank, L.R., see Garg, U.C. (592) 208
Granoff, M.I., see Batsche, K. (592) 273
Gruenstein, E., see Lucherini, M.J. (592) 193
Gruenstein, E., see Medrano, S. (592) 202
Gu, X., see Williams, M.B. (592) 49

Hardy, O., see Mirenowicz, J. (592) 1
Hayashi, H., see Toda, T. (592) 261
Hazrati, L.-N. and Parent, A.
The striatopallidal projection displays a high degree of anatomical specificity in the primate (592) 213
Herman, J.P., Cullinan, W.E., Young, E.A., Akil, H. and Watson, S.J.
Selective forebrain fiber tract lesions implicate ventral hippocampal structures in tonic regulation of paraventricular nucleus corticotropin-releasing hormone (CRH) and arginine vasopressin (AVP) mRNA expression (592) 228
Hong, M., Milne, B., Loomis, C. and Jhamandas, K.
Stereoselective effects of central α_2-adrenergic agonist medetomidine on in vivo catechol activity in the rat rostral ventrolateral medulla (RVLM) (592) 163
Hoyt, K.R., Tang, L.-H., Aizenman, E. and Reynolds, I.J.
Nitric oxide modulates NMDA-induced increases in intracellular Ca^{2+} in cultured rat forebrain neurons (592) 310
Huston, J.P., see Boix, F. (592) 181

Ivy, G.O., see Khurgel, M. (592) 338

Jackson, G.R., Werrbach-Perez, K., Ezell, E.L., Post, J.F.M. and Perez-Polo, J.R.
Nerve growth factor effects on pyridine nucleotides after oxidant injury of rat pheochromocytoma cells (592) 239
Jaffer, A., see Mintz, M. (592) 115
Janszen, A.W.J.W., see Romijn, H.J. (592) 17
Jenner, P., see Takeuchi, Y. (592) 129
Jhamandas, K., see Hong, M. (592) 163
Jhamandas, K., see Zhu, J. (592) 326
Jope, R.S., see Williams, M.B. (592) 49

Kamei, J., Kawashima, N. and Kasuya, Y.
Paradoxical analgesia produced by naloxone in diabetic mice is attributable to supersensitivity of δ-opioid receptors (592) 101
Kanje, M., see Zhao, Q. (592) 106
Kasuya, Y., see Kamei, J. (592) 101
Kawai, M., Cras, P. and Perry, G.
Serial reconstruction of β-protein amyloid plaques: relationship to microvessels and size distribution (592) 278
Kawashima, N., see Kamei, J. (592) 101
Kellaway, L., see Mintz, M. (592) 115
Khurgel, M., Racine, R.J. and Ivy, G.O.
Kindling causes changes in the composition of the astrocytic cytoskeleton (592) 338
Kimura, H., see Kubin, L. (592) 91
Kocsis, J.D., see Caffrey, J.M. (592) 283
Kosobud, A.E., Cross, S.J. and Crabbe, J.C.
Neural sensitivity to pentylenetetrazol convulsions in inbred and selectively bred mice (592) 122

Kubin, L., Kimura, H., Tojima, H., Pack, A.I. and Davies, R.O.
Behavior of VRG neurons during the atonia of REM sleep induced by pontine carbachol in decerebrate cats (592) 91
Kupsch, A., Löschmann, P.-A., Sauer, H., Arnold, G., Renner, P., Pufal, D., Burg, M., Wachtel, H., Ten Bruggencate, G. and Oertel, W.H.
Do NMDA receptor antagonists protect against MPTP-toxicity? Biochemical and immunocytochemical analyses in black mice (592) 74

Lackner, J.R. and DiZio, P.
Gravitoinertial force level affects the appreciation of limb position during muscle vibration (592) 175
Lallement, G., see Denoyer, M. (592) 157
Leader, N.K., see Roberts, M.H. (592) 170
Lekieffre, D., Ghribi, O., Callebert, J., Allix, M., Plotkine, M. and Boulu, R.G.
Inhibition of glutamate release in rat hippocampus by kynurenic acid does not protect CA1 cells from forebrain ischemia (592) 333
Li, X., see Williams, M.B. (592) 49
List, M.S., see Marson, L. (592) 187
Loomis, C., see Hong, M. (592) 163
Löschmann, P.-A., see Kupsch, A. (592) 74
Lucherini, M.J. and Gruenstein, E.
Histamine H_1 receptors in UC-11MG astrocytes and their regulation of cytoplasmic Ca^{2+} (592) 193
Lundborg, G., see Zhao, Q. (592) 106

Marsden, C.D., see Takeuchi, Y. (592) 129
Marson, L., List, M.S. and McKenna, K.E.
Lesions of the nucleus paragigantocellularis alter ex copula penile reflexes (592) 187
McBain, C.J., Eaton, J.V., Brown, T. and Dingledine, R.
CNQX increases spontaneous inhibitory input to CA3 pyramidal neurones in neonatal rat hippocampal slices (592) 255
McCullough, L.D. and Salamone, J.D.
Involvement of nucleus accumbens dopamine in the motor activity induced by periodic food presentation: a microdialysis and behavioral study (592) 29
McGeer, E.G., see Shigematsu, K. (592) 353
McGeer, P.L., see Shigematsu, K. (592) 353
McKenna, K.E., see Marson, L. (592) 187
Medrano, S., Gruenstein, E. and Dimlich, R.V.W.
Histamine stimulates glycogenolysis in human astrocytoma cells by increasing intracellular free calcium (592) 202
Milne, B., see Hong, M. (592) 163
Mintz, M., Reyneke, L., De Villiers, A., Allin, R., Russell, V., Daniels, W., Van der Spuy, G., Jaffer, A., Kellaway, L., Douglas, R. and Taljaard, J.
Effect of amygdaloid kindling on [^{3}H]dopamine and [^{14}C]acetylcholine release from rat prefrontal cortex and striatal slices (592) 115
Mirenowicz, J. and Hardy, O.
Characteristics of saccades induced by neck torsions: a re-examination in the normal guinea pig (592) 1
Morgan, E.H., see Crowe, A. (592) 8

Oertel, W.H., see Kupsch, A. (592) 74
Ota, M., Crofton, J.T., Festavan, G. and Share, L.
Central carbachol stimulates vasopressin release into interstitial fluid adjacent to the paraventricular nucleus (592) 249

Pack, A.I., see Kubin, L. (592) 91
Parent, A., see Hazrati, L.-N. (592) 213
Perez-Polo, J.R., see Jackson, G.R. (592) 239
Pernot-Marino, I., see Denoyer, M. (592) 157
Perry, G., see Kawai, M. (592) 278
Petrucelli, L., see D'Aniello, A. (592) 44
Plotkine, M., see Lekieffre, D. (592) 333
Post, J.F.M., see Jackson, G.R. (592) 239
Preston, J.E. and Segal, M.B.
Saturable uptake of [^{125}I]L-triiodothyronine at the basolateral (blood) and apical (cerebrospinal fluid) sides of the isolated perfused sheep choroid plexus (592) 84
Pufal, D., see Kupsch, A. (592) 74

Racine, R.J., see Khurgel, M. (592) 338
Renner, P., see Kupsch, A. (592) 74
Reyneke, L., see Mintz, M. (592) 115
Reynolds, I.J., see Hoyt, K.R. (592) 310
Roberts, M.H., Towles, J.A. and Leader, N.K.
Tyrosine kinase regulation of a molluscan circadian clock (592) 170
Romijn, H.J., Janszen, A.W.J.W., Van Voorst, M.J.D., Buijs, R.M., Balázs, R. and Swaab, D.F.
Perinatal hypoxic ischemic encephalopathy affects the proportion of GABA-immunoreactive neurons in the cerebral cortex of the rat (592) 17
Russell, V., see Mintz, M. (592) 115
Ruth, J.L., see Wiese, U.H. (592) 141

Salamone, J.D., see McCullough, L.D. (592) 29
Sato, Y., see Tamura, Y. (592) 317
Sauer, H., see Kupsch, A. (592) 74
Sawada, T., see Takeuchi, Y. (592) 129
Schneiderman, J.H., Cairns, A. and Sterling, C.A.
Low concentrations of penicillin partially suppress CA3 hippocampal IPSPs in vitro (592) 298
Schwarting, R.K.W., see Boix, F. (592) 181
Segal, M.B., see Preston, J.E. (592) 84
Séréno, D., see Denoyer, M. (592) 157
Share, L., see Ota, M. (592) 249
Shigematsu, K., McGeer, P.L. and McGeer, E.G.
Localization of amyloid precursor protein in selective postsynaptic densities of rat cortical neurons (592) 353
Shiomi, H., see Tamura, Y. (592) 317
Stafinsky, J.L., see Calcagnetti, D.J. (592) 305
Sterling, C.A., see Schneiderman, J.H. (592) 298
Stone, E.A., see Bing, G. (592) 57
Sved, A.F. and Tsukamoto, K.
Tonic stimulation of $GABA_B$ receptors in the nucleus tractus solitarius modulates the baroreceptor reflex (592) 37
Swaab, D.F., see Romijn, H.J. (592) 17

Takeuchi, Y., Sawada, T., Blunt, S., Jenner, P. and Marsden, C.D.
Transplantation of embryonic mesencephalic and medullary raphe neurons to the neostriatum of rats with unilateral 6-hydroxydopamine lesions (592) 129
Taljaard, J., see Mintz, M. (592) 115
Tamura, Y., Sato, Y., Akaike, A. and Shiomi, H.
Mechanisms of cholecystokinin-induced protection of cultured cortical neurons against *N*-methyl-D-aspartate receptor-mediated glutamate cytotoxicity (592) 317
Tang, L.-H., see Hoyt, K.R. (592) 310
Ten Bruggencate, G., see Kupsch, A. (592) 74
Toda, T. and Hayashi, H.
Morphology of central terminations of intra-axonally stained, low-threshold mechanoreceptive primary afferent fibers from oral mucosa and periodontium in the rat (592) 261
Tojima, H., see Kubin, L. (592) 91
Torres-Aleman, I., see Garcia-Estrada, J. (592) 343
Towles, J.A., see Roberts, M.H. (592) 170
Tsukamoto, K., see Sved, A.F. (592) 37
Turndorf, H., see Garg, U.C. (592) 208

Van der Spuy, G., see Mintz, M. (592) 115
Van Groen, T., see Wyss, J.M. (592) 135
Van Voorst, M.J.D., see Romijn, H.J. (592) 17
Vetere, A., see D'Aniello, A. (592) 44

Wachtel, H., see Kupsch, A. (592) 74
Wang, R.Y., see Batsche, K. (592) 273
Watson, S.J., see Herman, J.P. (592) 228
Waxman, S.G., see Caffrey, J.M. (592) 283
Werrbach-Perez, K., see Jackson, G.R. (592) 239
Wiese, U.H., Ruth, J.L. and Emson, P.C.
Differential expression of growth-associated protein (GAP-43) mRNA in rat primary sensory neurons after peripheral nerve lesion: a non-radioactive in situ hybridisation study (592) 141
Williams, M.B., Li, X., Gu, X. and Jope, R.S.
Modulation of endogenous ADP-ribosylation in rat brain (592) 49
Wyss, J.M., Fisk, G. and Van Groen, T.
Impaired learning and memory in mature spontaneously hypertensive rats (592) 135

Yang, H.-Y.T., see Zhu, J. (592) 326
Yeghiayan, S., see Campbell, A. (592) 348
Young, E.A., see Herman, J.P. (592) 228

Zhang, Y., see Bing, G. (592) 57
Zhao, Q., Dahlin, L.B., Kanje, M. and Lundborg, G.
The formation of a 'pseudo-nerve' in silicone chambers in the absence of regenerating axons (592) 106
Zhu, J., Jhamandas, K. and Yang, H.-Y.T.
Release of neuropeptide FF (FLFQPQRF-NH_2) from rat spinal cord (592) 326

(contents continued)

Gravitoinertial force level affects the appreciation of limb position during muscle vibration
J.R. Lackner and P. DiZio (USA) 175
The C-terminal fragment of substance P enhances dopamine release in nucleus accumbens but not in neostriatum in freely moving rats
F. Boix, J.P. Huston and R.K.W. Schwarting (Germany) 181
Lesions of the nucleus paragigantocellularis alter ex copula penile reflexes
L. Marson, M.S. List and K.E. McKenna (USA) 187
Histamine H_1 receptors in UC-11MG astrocytes and their regulation of cytoplasmic Ca^{2+}
M.J. Lucherini and E. Gruenstein (USA) 193
Histamine stimulates glycogenolysis in human astrocytoma cells by increasing intracellular free calcium
S. Medrano, E. Gruenstein and R.V.W. Dimlich (USA) 202
Effect of nitric-oxide on mitogenesis and proliferation of cerebellar glial cells
U.C. Garg, L. Devi, H. Turndorf, L.R. Goldfrank and M. Bansinathd (USA) 208
The striatopallidal projection displays a high degree of anatomical specificity in the primate
L.-N. Hazrati and A. Parent (Canada) 213
Selective forebrain fiber tract lesions implicate ventral hippocampal structures in tonic regulation of paraventricular nucleus corticotropin-releasing hormone (CRH) and arginine vasopressin (AVP) mRNA expression
J.P. Herman, W.E. Cullinan, E.A. Young, H. Akil and S.J. Watson (USA) 228
Nerve growth factor effects on pyridine nucleotides after oxidant injury of rat pheochromocytoma cells
G.R. Jackson, K. Werrbach-Perez, E.L. Ezell, J.F.M. Post and J.R. Perez-Polo (USA) 239
Central carbachol stimulates vasopressin release into interstitial fluid adjacent to the paraventricular nucleus
M. Ota, J.T. Crofton, G. Festavan and L. Share (USA) 249
CNQX increases spontaneous inhibitory input to CA3 pyramidal neurones in neonatal rat hippocampal slices
C.J. McBain, J.V. Eaton, T. Brown and R. Dingledine (USA) 255
Morphology of central terminations of intra-axonally stained, low-threshold mechanoreceptive primary afferent fibers from oral mucosa and periodontium in the rat
T. Toda and H. Hayashi (Japan) 261
5-HT_3 receptor antagonists fail to block the suppressant effect of cocaine on the firing rate of A10 dopamine neurons in the rat
K. Batsche, M.I. Granoff and R.Y. Wang (USA) 273
Serial reconstruction of β-protein amyloid plaques: relationship to microvessels and size distribution
M. Kawai, P. Cras and G. Perry (USA) 278
Three types of sodium channels in adult rat dorsal root ganglion neurons
J.M. Caffrey, D.L. Eng, J.A. Black, S.G. Waxman and J.D. Kocsis (USA) 283
Low concentrations of penicillin partially suppress CA3 hippocampal IPSPs in vitro
J.H. Schneiderman, A. Cairns and C.A. Sterling (Canada) 298
A single restraint stress exposure potentiates analgesia induced by intrathecally administered DAGO
D.J. Calcagnetti, J.L. Stafinsky and T. Crisp (USA) 305
Nitric oxide modulates NMDA-induced increases in intracellular Ca^{2+} in cultured rat forebrain neurons
K.R. Hoyt, L.-H. Tang, E. Aizenman and I.J. Reynolds (USA) 310
Mechanisms of cholecystokinin-induced protection of cultured cortical neurons against *N*-methyl-D-aspartate receptor-mediated glutamate cytotoxicity
Y. Tamura, Y. Sato, A. Akaike and H. Shiomi (Japan) 317
Release of neuropeptide FF (FLFQPQRF-NH_2) from rat spinal cord
J. Zhu, K. Jhamandas and H.-Y.T. Yang (USA, Canada) 326

Short Communications

Inhibition of glutamate release in rat hippocampus by kynurenic acid does not protect CA1 cells from forebrain ischemia
D. Lekieffre, O. Ghribi, J. Callebert, M. Allix, M. Plotkine and R.G. Boulu (France) 333
Kindling causes changes in the composition of the astrocytic cytoskeleton
M. Khurgel, R.J. Racine and G.O. Ivy (Canada) 338
Expression of insulin-like growth factor I by astrocytes in response to injury
J. Garcia-Estrada, L.M. Garcia-Segura and I. Torres-Aleman (Spain) 343
Antagonism of limbic and extrapyramidal actions of intracerebrally injected dopamine by ergolines with partial D_2 agonist activity in the rat
A. Campbell, R.J. Baldessarini and S. Yeghiayan (USA) 348
Localization of amyloid precursor protein in selective postsynaptic densities of rat cortical neurons
K. Shigematsu, P.L. McGeer and E.G. McGeer (Canada) 353

Author Index 358